# Hot Tub Products

Everything For Your Hot Tub or Swim Spa

# **Product Catalogue**













### **Contents:**

## Winter 202*5*

not fub Products, LLC
20 Commerce Drive
North Branford, CT 06471

Phone: 860-469-2580 www.hottubproducts.com

Ecommerce	2
HT Spa Chemicals	3-7
HT Filters	8
Fragrances/Fun Accessories	9
Spa Ease Steps	10-11
SpaFase Covers	12

SpaEase Lifters	13-14
SpaEase 200 Lifters	15
Safety Rails	16
ConvertALift	17-18
VacuSeal	19-20
Aguasizer	21

# Your Own Online Store!

Receive a Custom Online Store that would Cost You Over \$50,000

### For Only \$299

• No Inventory to Purchase

### **No Risk**

Cancel in 30 Days for Full Refund

### **Your Personal 24/7 Store**

• You Capture All Income • You Set the Prices

### **Ideal For Both**

Hot Tub Dealers & Service Companies

### **FREE** Marketing Support

• Emails • Postcards • Posters

For Details: www.hottubproducts.com/ecommerce







Hot Tub Products Chemicals are Made in the USA We have supplied Chemicals to the Industry since 1999.

HT Chemicals include the highest concentrates available in the industry and maintain a high level of consistency in the production process. These qualities help you minimize the volume of chemicals required and assure you that the amount needed won't change with each order you receive.

HT Chemicals have NEVER been available through Mass Merchants or Large Online Companies. To meet their pricing needs these companies often require the need to dilute liquid chemicals and add fillers to granular products. We pride ourselves in standing firm on quality and remain committed to the distribution of our chemicals only through local hot tub dealer and service organizations.



### **Chemical Starter Kits**

### **Bromine Kit**



#### **Each Kit Includes:**

Caring for Your Hot Tub Guide A multi-page brochure on proper use of chemicals along with a trouble shooting guide.

### **Chlorine Kit**



#### **Chlorine Kit Includes:**

1 lb. Chlorine Granules 1 Pint Stain & Scale 1 lb. pH & Alkalinity Up 1.5 lb. pH & Alkalinity Down 4-in-1 Test Strips Measuring Cup

Part #: CHK100 Case(6)

1.5 lb. Bromine Tablets 1 Pint Stain & Scale 1 lb. pH & Alkalinity Up Floating Dispenser

1.5 lb. pH & Alkalinity Down 4-in-1 Test Strips 2oz Packet Bromo Boost

Measuring Cup

Part #: CHK100 Case(6)

### Special Packages Are Available

#### **SPA START UP PKG**

To Sell Following a Start Up

### **FILTER MAINENANCE**

Ideal For Maintaining Filters

### **6 MONTH CHEMICAL**

Perfect Ongoing Order Pkg.

### **Customize Your Kits**



Oxy Shock Non Chlorine Shock 2 lb.



Mineral Purifier HT Mineral Purifier Stick



Spa Activator 1 lb. Odorless Shock

### **Sanitizers**

### **CHOOSING BETWEEN CHLORINE & BROMINE**

The **BENEFIT TO CHLORINE** is that it begins sanitizing and reaches a proper ppm reading almost immediately. The downsides to Chlorine are you need to add a little every other day to maintain a proper ppm level or it will give off a scent. It also is not as effective as Bromine in high water temperatures making it more preferred for swimming pools. It's also not recommended in the high pH range, compelling you to keep your pH level between 6.8 and 7.0.

The **BENEFITS TO BROMINE TABLETS** is that it requires less maintenance allowing you to go up 1 to 2 weeks without adding more tablets. It works well in high water temperatures and is also effective over a wider pH range, so if your pH fluctuates your sanitizer is still working. The downside to bromine tablets is that they are slow dissolving and take several days to begin sanitizing. For immediate activation you must add both Brom Bank and Spa Activator.

### **Chlorine**



### Chlorine Granules

### Sanitizing with Chlorine

Add ½ teaspoon of HT Chlorine Granules for every 100 gallons of water and maintain a chlorine level between 3 to 5 ppm. Depending on usage you should be adding chlorine approximately every other day. These levels can be reduced to 1 to 3 ppm with the use of a Mineral Purifier. For best results add 2 ounces (3 oz if there were 3 or more bathers) of Spa Activator each time after using your hot tub.

2 lb. Part #: CHSE101 Case(12) 1 lb. Part #: CHSE201 Case(12)

#### **USE WITH WITH ALL SANITIZERS**

### Oxy Shock



The powerful oxygen-based oxidizer provides 2 benefits when used in conjunction with spa water sanitized by Chlorine. It helps eliminate contaminates introduced by bathers along with environmental factors like wind and rain. It also helps restore sparkle and clarity to the water without affecting hardness or stabilizer levels. Recommend using 1 ounce per every 100 gallons (3 oz in a 300-gallon spa)

2. lb. Part #: CHSE119 Case(12)

### **Bromine**



### **Bromine Tabs**

Bromine Tablets provide carefree sanitation for up to 1 to 2 weeks depending on usage and the number of gallons in the spa. Place 1 Tablet per every 100 gallons (3 Tablets for a 300-gallon spa). Bromine levels should be kept between 3 to 5 ppm which can be reduced 1 to 3 ppm with the use of our HT Mineral Stick. Tablets are slow activating and take up to 1 to 2 weeks to

1.5 lb. Part #: CHSE103 Case(12)

reach a proper reading.

# In the control of the

Spa Activator

Spa Activator is an odorless shock that is the most favored product by hot tub owners whether they use chlorine or bromine. It is a powerful oxidizer formulated to be safe to use after each use of the hot tub whether you are using chlorine, bromine, or mineral purifiers.

2.2 lb. Part #: CHSE104 Case(12) 1 lb. Part #: CHSE204 Case(12)

### Floating Bromine Dispenser

Depending upon frequency of spa usage and the number of gallons in the spa set your valve between half to fully open. There is no harm in leaving the dispenser in the water during usage. Part #: ACSP101

### 2 Ways to Quickly Activate Bromine Tablets



### **Brom Bank**

Brom Bank consists of Sodium Bromide and other inert ingredients that allow you to sanitize your spa when used in conjunction with HT Spa Activator. On its own it provides no sanitizing benefit.

1 Quart. Part #: CHSE102 Case(12)

To quickly activate the Bromine Tablets, for every 300 gallons of water simply add either 2 ounces of Brom Bank or our 2oz Packet of Bromo Boost, turn on jet pumps, and then add 2 ounces of Spa Activator. This should help you reach a bromine level in about 15 minutes. Ideal to do when you start up your spa and whenever you forget to add Bromine Tablets which will drop your bromine level to zero.

### **Bromo Boost**

This 2 oz packet contains 99% of Sodium Bromide in a granular state that is



very effective in raising your bromine level when used in conjunction with Spa Activator. On its own it provides no sanitizing benefit.

Part #: CHSE202

# **Balancing Your Water**

Your pH should be kept between 7.2 – 7.8, the ideal alkalinity level is between 80-150 ppm, and calcium hardness should stay within 150 - 250 ppm for spas and 200 - 400 for pools.



### pH/Alkalinity Up

### Raising Ph/Alkalinity

- 1. For every 500 gallons of spa water a. If pH is between 6.8 - 7.21 oz of HT pH/Alkalinity Up b. If pH is less than 6.8 add 2 oz.
- 2. Allow filtration pump to run for 1 to 3 hours, retest and repeat Step 1 if necessary.

For best results dissolve in bucket of spa water then pour into spa.

2 lb. Part #: CHSE105 Case(12) 1 lb. Part #: CHSE205 Case(12)



### pH/Alkalinity Down

### Lowering Ph/Alkalinity

If pH is above 7.8 refrain from entering your spa and perform the following instructions:

- 1. For every 500 gallons of spa water add ½ oz of HT pH/Alkalinity Down
- 2. Allow filtration pumps to run for 30 minutes, retest and repeat Step 1 if necessary. If pH is in line but Alkalinity is not run all spa pumps on high speed for 15 minutes. For best results dissolve in bucket of spa water then pour into spa.

1.5 lb. Part #: CHSE106 Case(12)



### Liquid Calcium

### Raising Calcium/Hardness

To raise the Hardness level of your water just 45 ppm higher add 3 oz of Liquid Calcium for every 300 gallons (in a 1200-gallon swim spa add 12 ounces). Allow filtration pump to run for 30 minutes and then retest and add more if necessary.

NOTE: In hot water you can only add 3 oz every 30 minutes but in cold water you can add up to 12 oz. Wait at least one hour, retest and add more if necessary.

**RECOMMENDATION:** Sanitizer Test Strips provide a hardness reading but for those that need to raise their Calcium level we recommend using Hardness Test Strips more accurate results.

1 Quart. Part #: CHSE111 Case(12)



### pH Hold & H<sub>2</sub>O Softener

Very Ease to Market this 2 in 1 Product. Perfect for those that often need to adjust their pH & Alkalinity levels. Simply adjust your pH and Alkalinity once pour it in and your levels will remain constant until vou drain the water. It also softens the water which is ideal for those with dry skin. Softening the water reduces the itchy feeling some bathers feel when exiting their spa, along with minimizing eye irritation and helping to prevent corrosion to your spa components.

1.65 lb. Part #: CHSE111 Case(12)

### **Test Strips**

### **Hardness Test Strips**

Tests both low & high range hardness levels. Tests both calcium and magnesium, the 2 primary minerals that affect hardness levels. Recommended for those with Low Hardness levels.

25 Pk Part #: TSAC103 Case(12)



#### 25 Pk

Part #: TSAC104 Case(12)

reason to drain your water.

### **Bromine & Chlorine Test Strips**





### 4 in 1 Tests:

- Chlorine & Bromine Alkalinity Level
- pH Level
- Part #: TSLM108 Case(12)
- Hardness Level

Blister Pack - 50 Pk Bottle Only - 50 Pk Part #: TSLM109 Case(100)



### Salt Test

Measures the Sodium Chloride level from 1500 to 5000 ppm. Essential for those using salt water sanitation systems in their hot tub.

**TDS Test Strips** 

Tells you when to drain your hot tub, saving you time & money!

water. A high TDS level prevents makes it difficult to balance

your water and prevents sanitizer effectiveness, the primary

Total Dissolved Solids is the measure all dissolve chemical in your

10 Pk Part #: TSLM111 Case(12)



### **Water Maintenance**



### Stain & Scale

A high concentrate product for prohibiting the scaling and calcium build up on component parts and acrylic surfaces.

1 Pint. Part #: CHSE108 Case(12)



### **Protection Plus**

A dual solution concentrate of both stain and scale prevention and a water clarity formula for reducing organic containments.

1 Quart. Part #: CHSE107 Case(12)

### Natural & Clear

Natural & Clear is a natural enzyme that biodegrades organics (body oils, lotions, etc.) as soon as they enter your spa. It helps prevent common water scum lines and keeps your water crystal clear.

Add 2 oz. Weekly

1 Quart. Part #: CHSE109 Case(12)



### Foam Away

Instantly eliminates foaming! Our high concentrate HT formula of active ingredients requires so little in to be effective that it can be used with a spray applicator targeting only the foaming areas.

Apply only when needed

1 Quart. Part #: CHSE110 Case(12)



### Sun Sorb

This smiling sponge absorbs body oils, hairspray, etc. as it floats in your spa. It works extremely well and is reusable.



2 Pk - Part #: ACSP125

### Jet Line Cleaner

### Perfect Product to Use Before You Drain Your Spa During non-use bacteria accumulates within the

plumbing lines. This affects water chemistry and can cause harm to spa components. HT Jet Line Cleaner is highly effective in dissolving bacteria along with

cleaning your jet fittings that discolor



a must for anyone who owns a jetted bathtub. All the plumbing lines sit dormant after each use collecting bacteria. It's one of the primary reasons why Kohler virtually discontinued all jet fittings in bathtubs.

> 1 Pt. Part #: CHSE116 Case(12)

### Spa Booster Seat



This Comfortable and attractive design features heavy duty, heat resistant material and suction cups to prevent the seat from floating or moving. The firmness and size can be adjusted by the amount of water used to fill it. Easy filled with a standard garden hose. Dimensions: 15" x 13" x 4" when filled.

Part #: ACSP124

# **Spa Maintenance**



### All Purpose Cleaner

This unique enzyme based solution can be used to spray and clean the acrylic surface above the water line when the spa is filled without affecting the water's chemistry. It's also perfect for cleaning the acrylic shell when spa is drained. This could easily become your favorite household cleaner; perfect for hard water stains on sinks, eliminates mold and mildew without bleaching surface.

1 Quart. Part #: CHSE112 Case(12)

### Cover Conditioner

Protect and extend the life of your cover. This silicon based product helps protect all forms of vinyl and leather from hardening and cracking and includes a UV inhibitor to protect cover from the harsh ultraviolet rays of the sun. Also leaves the cover with a high sheen. Apply with cloth towel and wait 10 minutes before wiping off. We recommended using Cover Conditioner monthly if cover is located in direct sun and 4 times a year if not.



**PERFECT FOR:** Cars, Boats, Outdoor Furniture, Saddles, **You Name it!** 

1 Pint. Part #: CHSE117 Case(12)



### Ultra Mitt

Amazing product is great for acrylic spas, boats, tiled showers, bathtub, patio furniture, and the list goes on!

Part #: ACSP102

### **Cover Wipes**

Designed for all forms of cleaning but especially formulated for hot tubs since it brings no adverse effect to your water chemistry. Ideal for weekly and monthly cleaning of spa cover, acrylic coping, pillows, and even the exterior cabinet.

40 Pk - Part #: ACSP104 Case(12)



# Clear Spa Brono Boost

### **Bromo Boost**

### 2 oz. Packets of Sodium Bromide

One 2 oz packet of Bromo Boost used in conjunction with 2 oz of HT Spa Activator will Instantly provide a Bromine Sanitizer Residual.

Container Contains 12 2 0z. Packets of Sodium Bromide

Part #: CHSE202 Unit 2oz Case(12)

### Mineral Purifier Stick

Includes Zinc, Silver, & Copper Micron Beads. Compatible with Chlorine, Bromine, & Salt Systems. Simply drop the HT Mineral Stick into your filter cartridge, basket, or skimmer and replace it every 4 months.

Part #: CHSE200 Case(25)





### **Fun Thermometers**

Adds Safety and Fun to Spas & Pools. Your Choice, Duck or Shark Accurately reads both air and water Temp.

Duck - Part #: ACSP116 Shark - Part #: ACSP117

### Paradise Spa Vac

This simple pump action spa vacuum is great for cleaning small debris that builds up at the bottom of your hot tub or pool without draining the water. Eliminates the need for cumbersome hoses and comes complete with brush attachments.

Part #: ACSP108

### **Filter Maintenance**

Filter Cartridges protect your spa components along with keeping your water clean and healthy. Proper cleaning can double the life of your filter.



### Filter Cleaner

Deep soaked cleaning each time you change your water. Extends the life of your filter. Add 8 oz. of solution for every 1.25 gallon of water and allow cartridges to fully soak for 8 to 10 hours. Remove and rinse thoroughly then allow cartridges to fully air dry before reinstalling into the spa. Having a spare filter will extend the life of both filters.

1 Quart. Part #: CHSE114 Case(12)



### Instant Cartridge Cleaner

Depending upon spa usage filters should be cleaned every 1 to 3 weeks. A water hose will remove large debris but to eliminate non-visible grime and oils requires a Cartridge Cleaning solution. To use, remove your filter cartridge, spray on Filter Cleaner, wait at least 10 minutes and simply hose it off your filter cartridge.

1 Quart. Part #: CHSE115 Case(12)

### Your Choice of Filter Cleaners

### Cleans Easier, Better & SAVES 50% on Time & Water

### NucLeaner Cartridge Cleaner

This trigger controlled unit will reduce filter cleaning time and ensure a much cleaner filter, removing more dirt, debris and grease than traditional cleaning devices.

Part #: ACFL105



### Filter Flosser

Up to 17 spray streams provide a powerful spray cleaning action. Allows you to control the pressure of your spray so you can use it also for power washing cabinet, steps, and even walkways.

Part #: ACFL106



### Sediment Pre-Filter

### Perfect Way to Fill Your Spa Can Be used For 4 Water Refills

Eliminate metals and other contaminants before they enter your spa. Filling with clean water reduces the chemicals your spa requires. Simply attaches to your garden hose.

Part #: CHSE300 Case(12)







The photos above display the different tops and bottoms found on most hot tub filters. Please note the size of the handle or opening will vary.

### These Are Just a Sample of the 300 Models We Make Available

Part #	Case QTY	Diameter (inches)	Length (inches)		Top Hole (inches)		Bottom Hole (inches)	SQ Feet	Just a Small Sample of Brands Using this Part #
FL1001	6	4-15/16"	13-5/16"	B.	2-1/8"	J.	2-1/8"	25	Calspa: La Jolla, Carmel; ThermoSpas: Early Olympian & Paradise (pressurized filter housing)
FL1003	6	4-1/4"	4"	B.	2-1/16"	J.	2-1/16"	20	ThermoSpas: Gemini, Duo, Cape Cod, Paradise (non pressurized), Phoenix, Penthouse, Townhouse, Lexington (from 1/98 to present) Viking: Round Series
FL1004	6	4-15/16"	6-5/8"	B.	2-1/8"	J.	2-1/8"	50	ThermoSpas: Park Ave, Concord, Manhattan Models from 12/97-5/99
FL1005	6	6"	6-1/2"	E.	N/A	G.	2-1/2"	25	ThermoSpas: Phoenix, Penthouse, Townhouse, Lexington (prior to 1996)
FL1006	6	5"	4-5/8"	B.	2-1/8	J.	2-3/16"	35	ThermoSpas: Park Ave, Concord, Manhattan, Phoenix, Penthouse, Townhouse (prior 12/97)
FL1007	6	6"	8-1/4"	E.	N/A	I.	1-1/2"	45	Viking (all models except round) ThermoSpas: Genesis Park Ave, Concord
FL1008	6	4-15/16"	9-1/4"	B.	2-1/8"	J.	2-1/8"	50	ThermoSpas: Park Ave, Concord, Manhattan models from 9/16/04 to current, Avalon, Atlantis, Chesapeake, Garden & all Sparta Series; Artesian: Tonga
FL1009	6	4-3/4"	9-3/4"	E.	N/A	J.	1.9"	35	ThermoSpas: Healing Spa, (Park Ave, Concord, Manhattan 3/10/04-9/16/04)
FL1013	6	5"	23-5/8"	B.	2-1/8"	J.	2-1/8"	95	ThermoSpas: All Swim Spas, Aquasizer
FL1014	6	6"	10-1/2"	B.	1-15/16"	J.	1-15/16"	30	Hot Spring Spas, Serentiy Spas, Watkins Mfg
FL1022	6	8-1/2"	10-1/2"	B.	3"	J.	3"	35	Caldera Spas Vacanza Series
FL1023	6	6-5/8"	14-7/8"	A.	N/A	I.	2"	60	Calspa: Malibu, Bel Air
FL1027	6	6-3/4"	8"	E.	N/A	G.	2"	50	Artesian Spas & Tropic Seas Spas
FL1050	6	7"	10-3/4"	B.	N/A	J.	2-11/16"	50	Caldera: Paradise Series
FL1057	6	8"	16-1/2"	B.	N/A	J.	3-5/8"	100	Caldera: Utopia Series
FL1058	6	5"	14 3/4"	B.	2"	J.	2"	8	Cal Spa, Martec, Sonfarrel
FL1135	6	4-15/16"	13-1/2"	E.	N/A	I.	2"	8	Calspa: Hawaiin, Tropical, Kona, Pacifica, Swim Spas
FL1370	6	6"	7"	E.	N/A	l.	1-1/2"	25	Calspa: Hawaiin, Tropical, Kona, Pacifica, Swim Spas

# Spa Fragrances

As a leader in the industry, Spazazz products are specially formulated for both bath and spa use, and are completely oil-free. The all natural blends of sensual aromas and moisturizing botanicals are designed so they will not affect a hot tub's pH balance or leave any oily residue behind.

### **Original Elixirs**



Escape into paradise with this enlivening blend of Moisturizing Botanicals & Aloe Vera. Skin moisturizer for spas includes a unique formula extends the fragrance and softens the water without altering your water's chemistry.

- a) Eucalyptus Mint Elixir 9oz Part#: FRSZ101
- b) Pink Grapefruit Elixir 9oz Part#: FRSZ106
- c) Pina Colada Elixir 9oz Part#: FRSZ105
- d) Warm french Vanilla Elixir 9oz Part#: FRSZ104
- e) Tropical Rain Elixir 9oz Part#: FRSZ103
- f) Honey Mango Elixir 9oz Part#: FRSZ102

### Escape Crystals



Relax your state of mind with our naturally colorful and fragrant Escape aromatherapy crystals. A whole new level for your hot tub or bath experience.

- a) Lavender Palmerosa Crystals 22oz Part #: FRSZ108
- b) Kiwi Pear Crystals 22oz Part #: FRSZ107
- d) White Musk Vanilla Jasmine Crystals 22oz Part #: FRSZ110
- e) Verbena Lime Coconut Crystals 22oz Part #: FRSZ109

### **Set The Mood Crystals**





Packed with vitamins and minerals, an all natural blend of botanicals, the crystals are designed to help alleviate stress while leaving your skin feeling soft and healthy.

- a) Wild Fiesta Sangria Crystals 22oz Part #: FRSZ112
- b) Strawberry & Champagne Crystals 22oz Part #: FRSZ111

### **Fun Accessories**

### WaveDancer Wireless Speaker & Light Show

A great sounding speaker, and a light show that syncs to your music.

- Answer phone calls and voice caller ID
- Sync multiple units together
- Waterproof (IPX7 rating) floats in your spa
- Change tracks and adjust volume
- Rechargeable battery lasts up to 8 hours
- Built-in hanger so you can light up the dance floor
- Take it anywhere
- Includes USB charging cord



### Part #: ACSP123



### Waterproof **Playing Cards**

Perfect for spas or pools.

Part #: ACSP113



Cool Duck

Everyone's best friend at the pool or spa.

Part #: ACSP114



Light Up Pals

Super bright fun floating pool lights.

Part #: ACSP115



Classic Black/Black

Part# STCS101B

# The Classic OUR ENTRY LEVEL



### **Matching Wrap-Around Tread & Riser**

- Two-Tone Design Adds Value & Dimension
- Slip Resistant Treads Provide Added Safety
- Dimensions: 26" Wide, 23" Deep, 14.5" High
- Tested to Hold Over 800 lbs
- Easily Locks Together in Seconds







Classic Grey/Black







# The Designer Our UPGRADE



The Best looking Spa Step on the Market Can Also Be Converted Into a 4-Tier Step (See p.13)

### Stylish Design • Sturdy Construction


Wide enough for two adults and strong enough for four. This attractive Two-Tone Step includes black legs and a choice of Grey, Black or Espresso Treads.

Anti-Slip Design Holds up to 1000 lbs. **Five Year Warranty** 33.5" W, 26.5" Deep, 15" H



### Additional Benefits:

- Designed to Minimize Any Tread Movement
- Maintenance Free Propylene Material
- Injection Molding Assures a Finished Look
- Assembles in Seconds Without Tools



### ◀ Thick Rubber Treads

Soft on the Toes Along with Providing a High Level of Safety

### **Hideaway Drawers**

Optional Drawers Provide a Convenient Location for Chemicals and Accessories. Improve the Spa Experience by Eliminating Having to Carry an Armful of Chemicals.


Part# STDSDRW Sold in Pairs




# Spa Lase Replacement Covers









### **Available Colors**







# Upgrade to WeatherProof

### **3X STRONGER**

**25%** LIGHTER

Extending the Life of Your Cover

Makes Opening & Closing Easier

WeatherProof is a polyester fabric with a urethane coating making it both attractive and weather resistant. It minimizes shrinkage, features a high UV protection, and has excellent tear resistance. It's easy to maintain and can be cleaned with soap and water, eliminating the need to apply a conditioner every few months as required on vinyl.



CVWS906

### **Available Upgrades**



CVDW100



Double Stitching Protects the Vinyl Cover CVRH102



Fully Insulated Hinge Improves Energy Efficiency CVRH102

Upgrade	Part#
Extended Skirt Length 6" to 10"	CVES103
Pair of Extra Handles	CVEH104
Oversize Cover 97" to 104"	CVOS105
Oversize Cover 105" to 109"	CVOS106
Speaker Hoods & Cut Outs (each)	CVSH107

# Spa √Ease Cover Lifters

Double Powder Coated Aluminum Components w/Stainless Steel Hardware

# Spa Lase 50 Cover Roller

Made from a poly-carbonate material reinforced with fiberglass. The only cover remover with a patented Easy On / Off Roller design.

- No assembly required. Only needs a Folds up snugly against the spa screwdriver to mount to spa.
- 20 Years in production.
- Requires 1/2 width of the cover behind the spa.
- cabinet while not in use.
- · 4 rollers on each arm that make it a "snap" to slide.
- Limited Lifetime Warranty









Roller Closed

# Spa LEase 100

### #1 Cover Lifter Design Sold

Popular because it is SIMPLE TO INSTALL, and the angular design with our full-length center bar makes it EASY TO OPERATE!





The SpaEase 100 also includes a padded handle and an additional Free Attachment for hanging multiple towels and robes.

- Requires 10 to 15" of rear clearance
- Requires 5" of clearance from each side
- Product Model Pallet Qty SpaEase 100 LFSE100 94
- Fits most hot tubs up to 96"
- 5 Year Limited Warranty









# Spa LEase 150

### Prevents Harm to Your Cabinet

The SpaEase 150 Lifter eliminates the need to install any screws! The unique addition of our steel plate supports the lifter with the weight of your spa.

The cover easily slides behind the cabinet so that your view is not impaired while the angular design protects the cover by keeping it off the ground when in the open position.

- $\bullet$  Requires as little as 18" of clearance at rear
- Fits most hot tubs up to 96"
- Requires 4" of clearance from each side
- 5 Year Limited Warranty

Product	Model	Pallet Qty	
SpaEase 150	LFSE150	44	







# Spa Lase 175

### Fits Virtually Every Cover Shape

Installs on square, octagonal and even round spas along with those with a large radius corner design.

Our under-mount base plate makes installation easy, and a powerful center gas shock makes removing and replacing your spa cover effortless.

When not in use it easily folds and hides behind your spa.

- Requires as little as 18" of clearance at rear
- Works with spas from 30" to 40" tall
- Requires no clearance from either side
- 5 Year Limited Warranty

Product Model Pallet Qty
SpaEase 175 LFSE175 44









# Spa √Ease 200

Built to the Highest Quality Standards & Offering More
Features & Upgrades than Any
Traditional Hot Tub Cover Lifter







### **BUILT TO LAST LONGER**

All parts except the Swing Arms are constructed of aluminum to minimize rusting. The Swing Arm is made of steel to handle the weight of the cover when in the open position. To protect it we apply an electrolysis coating similar to what is used on bicycle and automotive parts.

### **ADDITIONAL PROTECTION**

All hardware is stainless steel versus zinc used on traditional cover lifters.

### THE IDEAL ROBE HOLDER

Our handle not only makes operating the lifter easy, but it is also uniquely positioned to be a convenient place to hang a long robe.





# ADJUSTABLE TO ANY SIZE SPA

To hide the unsightly nuts and bolts

of traditional lifters the SpaEase 200 includes an attractive and protective

PROFESSIONAL LOOK

Cover Plate.

The SpaEase 200 offers multiple attachment points making it easy to operate no matter what size hot tub you own. Attachment points can easily be changed after installation.

Product	Model	Pallet Qty
SpaEase 200	LFSE200	44

### 3 Future Upgrades Available

### 1. Upgrade to Semi-Automatic Operation

To Operate Your Cover by Simply Turning a Key, Install the ConvertALift Automated System on Your SpaEase 200 Cover Lifter.





### 2. Convert to a VacuSeal System

- Saves You Money by Sealing in the Heat and Reducing Your Energy Costs
- Operating in 1 Motion Makes Raising & Lowering Your Cover Easier
- Converts to a Canopy Providing Shade & Protection from the Elements



### 3. Upgrade to Fully Automatic Operation



# Vacuseal + Convert A Lift

- All the Benefits of a VacuSeal System
- Opens Your Cover at the Touch of a Button from Inside Your Home!
- Automatically Locks Your Cover Preventing Unsupervised Usage & Enhancing Safety

# Spa Lase Access Rails

### Guaranteed Not to Rust, Pit, or Discolor





# DM-36 Deck Mount No Grounding Required Ideal for hot tubs that are partially installed into a deck or patio.




### **AVAILABLE COLORS**






External 1/4" Thick
Polymer Plastic
Internal Galvanized
Steel Pipe

SE Bracket





**DM-54 DECK MOUNT** 

### LIFT - TURN -DROP & LOCK

Slightly lift the rail, swing it 180 degrees, and it locks in place providing both safety and convenience. Eliminates the need to reach out and below the spa to turn a screw found on most traditional rails.

### **Built to Last Forever**

The Only Rails Guaranteed Not to Rust, Pit, or Scale No Matter What the Climate. And Guaranteed to Not Fade or Discolor & Still Look Brand New For Many Years.

### Safest Access Rails

Our proprietary attachment brackets allow you to sell the safest access rails in the hot tub industry. Our Plastic Mounting Base eliminates the need for any Bonding Requirements.

This important accessory for many hot tub owners is the most difficult accessory for dealers to market and display.

Reason: Quality Access Rails require attachment to the spa cabinet, which can diminish the value of a showroom hot tub.

### COMPLETE PACKAGE SYSTEMS W/BRACKETS AND/OR BASE

Description	Model			
SM-36" Side Mount Pkg	RADM102			
DM-36" Deck Mount	RADM036			
DM-54" Deck Mount	RADM054			
UM-54" Under Mount	RAUM054			

### INDEPENDENT PARTS ONLY NO BRACKETS AND/OR BASE

Description	Model
36" Rail Only	RAOL036
54" Rail Only	RAOL054
Undermount Base	UB-NR



ConvertALift Includes these Unique Components along with Specialized Cables & Hardware:

### **Control Box**



The Control Box is the brains to the system that is encased in a water-resistant plastic box that is designed to be installed within the cabinet of the spa.

### **Linear Actuators**



**Stainless Steel Actuators** extend and retract to raise and lower the cover. Stainless-steel provides protection from all forms of weather.

### **Keyswitch**



**Spa-Side Control Keyswitch** is used mainly to close the cover safely and lock it shut but can open the spa as well. Keyswitch assembly comes pre-wired

#### **Remote Control**



Remote Control, everybody's

favorite part allows you to open your spa from up to 100' away or from inside your home.

## Benefits of The ConvertALift System

### **ADDS SAFETY**

Automatically locks your cover helping to keep children safe and uninvited quests out. During usage it helps prevent unintended closure from wind without engaging a lock.

### **SAVES MONEY**

Our Unique Patented VacuSeal System seals your cover to the spa helping to prevent heat loss commonly found on traditional covers.

### CONVENIENCE

Our patented ConvertALift together with our patented VacuSeal System allows you to now open your cover, from in your home, at the touch of a button.

### **CANOPY OPTION**

Our Canopy Arm provides protection from the sun, providing you the shade needed on those hot and sunny days.





- Lifts Over 50 lbs. of Added Weight w/Ease
- Installs in 45 Minutes
- Automatically Stops for Obstacles
- 100% Warranty on All Parts
- Plugs into a 110V 15 Amp Outlet or Can be Wired Directly to Spa Pac

# A Must-Have for Swim Spas Open Both Sides at Once or One Side at a Time



# A Few FAQs About The ConvertALift System

### 1. How does ConvertALift work?

ConvertALift is not a cover lifter. It converts select hot tub cover lifters into automated systems allowing the user to open and close the cover electronically.

### 2. Which Cover Lifters does ConvertALift work on?

ConvertALift can be used on either our SpaEase 200 or the VacuSeal 400 Cover Lifter.

The VacuSeal 400 requires a VacuSeal Cover but only with the VacuSeal System can you open the cover in one motion at a distance or from within the home. The SpaEase 200 Lifter works on most any traditional hot tub covers but still requires you to fold the cover in half on opening and closing.

### 3. How do you Power the System?

The Power Cord can be plugged into any standard US 110-volt 15-amp outlet, or a direct wire can be run to the home by an electrician. But most installations are done by a spa tech easily installing it to the spa pac.

### 4. Is ConvertALift Different for Hot Tubs vs Swim Spas?

ConvertALift is interchangeable. The only difference is the Remote Control.

### 5. Can I convert the SpaEase 200 into a VacuSeal System and later into ConvertALift?

The SpaEase 200 and the VacuSeal Lifter are interchangeable and use identical parts.

### 6. What cover radius will not work for the VacuSeal Cover?

A radius over 12" requires an Extension Bracket which allows up to 16" maximum.

### 7. Will ConvertALift work on a drop-in installed hot tub?

A minimum of 12" of vertical space is required from the top of cabinet on both sides.

### 8. What happens if I lose my Remote?

New Remotes can easily be sent, and programming is easy and takes less than 1 minute.

### 9. How long does it take for the cover to open?

Approximately 19 seconds.

### 10. Will it handle heavy snow loads?

The system has been tested to operate with over 50lbs. added to the cover.

### 11. How will the cable connection attachments handle outdoor environments?

They're rated to handle virtually any weather climates of snow and rain in temperatures of minus 4 degrees Fahrenheit.

### 12. How do the Actuators hold up to spas located near saltwater environments?

The Actuators are made of Stainless Steel and have been used in marine conditions.

### 13. How long does it take to install?

First time installer should plan for 2 to 3 hours for hot tub. Second time 2 hours and once an installer has done a couple it should only take about 1.5 hours. Double these times for a Swim Spa.

### 14. Are all component parts easily replaceable?

The system was designed so that any part could be replaced by a homeowner in less than 15 mintes.

### 15. How Does a Service Tech have access when customer is not home, and key is out?

The Key is universal to all our systems, and a tech can program their remote to customers spa in less than a minute without affecting customers spa.

### 16. Is ConvertALift available on Amazon or Mass Merchants?

NO, it is strictly sold through registered hot tub retailers.

A more detailed FAQ is available upon request.

# Vacuse & Lifter For Hot Tubs

With & Without ConvertALift System

### Easiest to Use

**ONLY Cover Requiring Just One Simple** Motion to Open or Close

ONLY Lifter that Assists in Both Lifting and Lowering Your Cover



### **Saves You Money**





Our Patented Bottom Hinge Seals the Cover to Your Spa to Prevent Heat Loss. Other Covers Need a Center Gasket which is where Heat is Lost, Costing You \$\$\$.







The VacuSeal Applies a Gentle Downward Pressure When Closed, Enhancing the Seal.

Our "Rear Support Bar" always returns Cover to it's original position so you never have to shift Cover after it's been closed.

### Upgrade to WeatherProof

WeatherProof is a polyester fabric with a urethane coating making it both attractive and weather resistant. It minimizes shrinkage, features a high UV protection, and has excellent tear resistance. It's easy to maintain and can be cleaned with soap and water, eliminating the need to apply a conditioner every few months as required on vinyl.



3x Stronger - Extending the Life of Your Cover 25% Lighter - Makes Opening & Closing Easier

### **Converts Into a Canopy**

Protection from the Sun, an Escape from the Rain, and a Little More Privacy.



### **Enhanced View During Usage**





Only Cover where you face the attractive exterior side.

Within months chemical fumes discolor the underside.

#### LIFT HANDLE/ROBE HOLDER





**ADJUSTABLE SWING ARM ONLY Lifter** that Allows Adjustment for Your Spa Size.

### **SPECIFICATIONS:**

Fits Spas up to 96" x 96"

- Up to 96" x 108" w/Extended Bar Fits Cover Radius up to 12"
- Up to 16" w/Extension Bracket

Requires 2" Clearance on the Sides

- 7" on the Side w/Handle
- Requires 7" to 9" Rear Clearance

### WARRANTY:

5 Years | VacuSeal Lifter 3 Years | VacuSeal Cover 2 Years | ConvertALift

### CONVERTA LIFT

VacuSeal Easily Converts into a Remote Controlled Cover Lifter System. See P.17

# Vacuseal For Swim Spas

One Person Can Easily Open & Close Both Covers in Seconds!

### **Bi-Fold Design**









### **Unique Features**

- Bottom Hinged Covers Seal in the Heat Reducing Your Electrical Bill
- Reverse Pneumatic Technology Lifters Assist in Both Opening & Closing of Covers
- Rear Support Bars Eliminate Shifting on Closure
- Patented Internal Opening
   Design provides an Enhanced
   View of Cover During Usage
- Dual Robe/Towel Holders on Each Side
- Adjustable Swing Arms Make Operating Easier by Allowing Adjustment to Your Spa Size

### **Tri-Fold Design**

Ideal for Oversized Hot Tubs and Swim Spas over 16' Long







**Fully Closed Position** 

Step 1: Lift First Section



to Center Section





**Step 3:** Lift All Sections w/ Lifter to Fully Open Position

NSULATION BARRIER	Spa Size	Recommended Configuration	
	Over-Sized Hot Tubs from 8.5' to 11.5'	1 Tri-Fold	
	Swim Spas from 16' to 19'	Tri-Fold + Bi-Fold or 2 Tri-Folds	
	Swim Spas from 20' to 22'	2 Tri-Folds	

### **FULL LENGTH INSULATION BARRIER**



### SAVES YOU MONEY & PREVENTS RAIN WATER FROM ENTERING YOUR SPA

The Combination of the Full-Length Insulation Barrier (that squeezes each side together), Our VacuSeal Hinge, and Our Rear Support Bar (guaranteeing cover to always return to the exact original position) provides the perfect closure for Your Swim Spa Cover!

### Upgrade to WeatherProof

WeatherProof is a polyester fabric with a urethane coating making it both attractive and weather resistant. It minimizes shrinkage, features a high UV protection, and has excellent tear resistance.



**3x Stronger** - Extending the Life of Your Cover **25% Lighter** - Makes Opening & Closing Easier

### **EASILY CONVERTS INTO A CANOPY**



Protection from the Sun, an Escape from the Rain, and a Little More Privacy. Not available on Duo-Fold Models.

### **WARRANTY:**

5 Years | VacuSeal Lifter 3 Years | VacuSeal Cover 2 Years | ConvertALift



VacuSeal Easily Converts into a Remote Controlled Cover Lifter System. See P.17





# Ideal for Swimming Pools(Inground & Above) & Swim Spas

The AquaSizer is an aquatic exercise device that will transform your pool or swim spa into a comprehensive workout system.

Get a low impact, high intensity water resistance workout perfect for all fitness levels and ages. Get the most out of your cardiovascular workout with the AquaSizer!

The AquaSizer is an aquatic exercise device that will transform a swimming pool or swim spa into a comprehensive workout system.

#### Features:

- Lightweight & durable only 52 lbs
- Built in wheels for easy moving
- Can stay in fresh water pool year-round
- · Great cardiovascular exercise device
- Improves strength & biomechanics
- Safe for all ages & fitness levels
- Low impact, high intensity
- Ideal for running & walking at any pace
- No motorized equipment
- Belt moves forward & backward
- Removable stainless steel handlebar
- Works in fresh & salt water pools

### SPECIFICATIONS

- Weight (without handrail): 52 lbs
- Weight (with handrail): 57 lbs
- Shipping Weight: 67 lbs
- Height (with handrail): 48"
- Height (without handrail): 11" at tall end
- Width: 28"
- Belt Dimensions: 34" x 26"
- Materials: Polyethylene, ABS, PVC, & Stainless Steel






Wheels Allow for Easy Transport



Easy Entry & Removal



Walk or Run At Your Own Pace



Use Barefoot or w/Watershoes

Product Model Pallet Qty

Aquasizer Underwater Treadmill EXTM100 9

Excellent for Consumers of All Ages Along with Medical Facilities & YMCAs